



Rusan Q-R universal clamping adapter for devices with thread M52x0.75:

- Dedal 540/541/542/546/552
- Jahnke DJ-8 NSV
- Lahoux D-545, LV-81
- Leica Colonox
- Noblex NW 100
- ... and many more



In combination with thread reducing ring:

- Armasight CO-MR, CO-Mini
- Pulsar Core/DFA75/DN55 **NEW**
- Pulsar F135/F155 **NEW**
- ATN PS22
- ATN PS28
- Dipol DN31/32/33/34
- Lahoux LV-21
- Lahoux Hemera
- Nitehog TIR-M35
- Guide TA435 **NEW**



Rusan clamping adapter has thread **M52x0.75** (Dedal, Yahnke, Lahoux and many other devices).
It can be combined with appropriate **reducing ring** and used for many other devices.

ARM52-xx [mm]
example: ARM52-56

+

APS22

=

Adapter for ATN PS22
and Armasight CO-MR, CO-Mini
and Lahoux LV-21



ARM52-xx [mm]
example: ARM52-56

+

ADN33

=

Adapter for
Dipol DN31/32/33/34



ARM52-xx [mm]
example: ARM52-56

+

ADFA75
AF135-F155

=

Adapter for Pulsar Core/DFA75/DN55
Adapter for Pulsar F135 / F155



ARM52-xx [mm]
example: ARM52-56

+

ATIR-M35

=

Adapter for
Nitehog TIR-M35
Lahoux Hemera



For devices with thread other than M52x0.75) :

Exactly the same clamping adapter is used, in combination with appropriate “Thread reducing ring”, which are ordered and sold separately.

Ordering codes for reducing rings:

- APS22 - for ATN PS22, Armasight CO-MR, CO-Mini, Lahoux LV-21^{NEW} (M39x1)
- APS28 - for ATN PS28^{NEW}
- ADN33 - for Dipol DN31/32/33/34 (M49x0.75)
- ADFA75 - for Pulsar Core / DFA75 / Dn55
- AF135-F155- for Pulsar F135 / F155^{NEW}
- ATIR-M35 - for Nitehog TIR-M35, Lahoux Hemera (M46x0.75)^{NEW}
- ATA435 - for Guide TA435 (M33.5x0.75)^{NEW}



FEATURES

Quick-release

- easy and fast to put on/off
- adjustable clamping force

Aircraft aluminium

- high durable
- lightweight

Another adapter for each dimension of riflescope

- no diameter-reducing plastic rings
- very rigid
- fits on very low mounted riflescopes (Blaser rifles)

Special material inside for excellent grip

- stays in place while shooting high calibers
- no movement, doesn't damage riflescope

Successfully tested with calibers .338 Lapua Magnum and .416 TYR.


Every model (dimension) have adjustment of around ± 0.2 mm in clamping diameter.

Almost all models has overall length 48 mm and clamping length 37 mm, except these:

	<u>Clamp. length</u>	<u>Note</u>
ARM52-30	27	
ARM52-30SR *	27	for x24 riflescopes with SR rail
ARM52-56.7 **	24	for Zeiss Victory Diarange (with laser rangefinder)
ARM52-62.7 **	24	for Zeiss Victory Diarange (with laser rangefinder)

Rusan clamping adapter is marked by it's exact diameter, which is equal to outside diameter of the riflescope's objective tube.

<i>Rifle scope example</i>	<i>lens diameter</i>	<i>outside diameter</i> = <u><i>adapter diameter</i></u>	<i>adapter code</i>
Swarovski Z6i 2.5-15x56 P	56 mm	62 mm	ARM52-62
Dedal DH 5-20 x 56	56 mm	64 mm	ARM52-64
Nightforce (B.E.A.S.T.) 5-25 x 56 F1	56 mm	65 mm	ARM52-65



Rusan clamping adapter for Night-Vision clip-on devices is produced in next sizes (mm):

30, 30SR, 34, 36, 38, 39.5, 41, 42, 44, 46, 46.7, 48, 49, 50, 51, 52, 53, 54, 56, 56.7, 57, 58, 58.4, 59, 60, 60.5, 62, 62.7, 63, 64, 65, 66, 68, 71, 72, 80

NOTE for Dedal 552 / Lahoux D-545:

Because of a big ocular lens on D552, it is impossible to use this device on small scopes (under x42) directly with Rusan clamping adapter. It is possible in combination with our "Extension ring for Dedal 552" (ordering code ERD552).

NEW

„Silent“ feature on Rusan adapters

WHAT

Special Rusan blue tape installed on the front wall inside of the adapter

WHY

To prevent noise when scope hits the adapter if you push too hard / too much

WHEN

All our adapters* shipped from 1st September 2020 onwards will have "Silent" feature installed.

MORE


Product codes stay the same, prices stay the same

**Silent feature will be made on adapters ARM52-xx, ARF135F155-xx, ARCORE-xx, ARTA435-xx from 48 mm above.*

RUSAN clamping ADAPTER

Redesign 2017

After 8 years of producing our Rusan adapters for Night-Vision and Thermal clip-on devices, we decided to make some cosmetic and some functional changes. Below you can see pictures and explanation.



1. New locking lever - shorter, thinner... generally more elegant.


2. Changing the wall thickness of the adapter to even thinner, from 2.5 mm to 2.0 mm.

3. Adding the preparation for a weaver rail, which can be used to mount an external illuminator.

Some customers asked for this feature, because they want to mount illuminator more to the back from device, so there is less reflection of the illuminator beam. So a good solution would be to mount it on the clamping adapter. *(On adapter sizes 47 mm and bigger. Smaller sizes adapters does not have preparation for weaver rail.)*

New ordering code: **ARM52-xx** (for example **ARM52-48** , **ARM52-56** , **ARM52-62** ...)


New product name: **Rusan Q-R adapter for devices with thread M52x0.75 - xx mm (v.2017)**



Changes :

1. New locking lever
2. Wall thickness 2.5 -> 2.0
3. Preparation for a weaver rail
(On adapter sizes 47 mm and bigger)
(Smaller sizes does not have it)

Weaver rail (ordered separately) 3 available heights



Order.code	Product name
WRA-9	Weaver rail for Rusan Q-R adapter (M52x0.75), height 9 mm
WRA-17	Weaver rail for Rusan Q-R adapter (M52x0.75), height 17 mm
WRA-25	Weaver rail for Rusan Q-R adapter (M52x0.75), height 25 mm

Contents

AKAH.....	1
BURRIS.....	1
DDOPTICS.....	1-2
DEDAL NV.....	2
DELTA OPTICAL.....	2
DOCTER.....	3
HAWKE.....	3-4
IQR.....	4-5
KAHLES.....	5-6
KITE OPTICS.....	6
LEICA.....	6-7
LEUPOLD.....	7
MEOPTA.....	7-8
MINOX.....	8
NIGHT FORCE.....	9
NOBLEX.....	9
SCHMIDT BENDER.....	10
STEINER.....	11
SWAROVSKI.....	11-12
VIXEN.....	12
ZEISS.....	13-14
YUKON.....	14

AKAH																																																	
Adapter code:																																																	
Riflescope	Lens diameter	Outside diameter	ADAPTER SIZE																																														
			30	30SR	34	36	36ZM	38	40	41	42	42.5	44	46	46.7	47	48	49	50	51	52	53	54	55	56	56.7**	57	57.5	58	58.4	59	59.5	60	60.5	61	62	62.7**	63	63.5	64	64.5	65	66	67	68	69	71	72	80
AKAH																																																	
1-6x24 LA	24	30																																															
1,5-6x42 LA	42	51																																															
3-12x56 LA	56	66																																															

BURRIS																																																	
Adapter code:																																																	
Riflescope	Lens diameter	Outside diameter	ADAPTER SIZE																																														
Burris (Fullfield E1™ Riflescopes Series)			30	30SR	34	36	36ZM	38	40	41	42	42.5	44	46	46.7	47	48	49	50	51	52	53	54	55	56	56.7**	57	57.5	58	58.4	59	59.5	60	60.5	61	62	62.7**	63	63.5	64	64.5	65	66	67	68	69	71	72	80
2-7x35	35	41																																															
3-9x40 (illuminated)	40	48																																															
3-9x50 (illuminated)	50	57																																															
4.5-14x42	42	51.5																																															
6.5-20x50	50	63																																															
Burris (Fullfield E1™ Riflescopes Series)			30	30SR	34	36	36ZM	38	40	41	42	42.5	44	46	46.7	47	48	49	50	51	52	53	54	55	56	56.7**	57	57.5	58	58.4	59	59.5	60	60.5	61	62	62.7**	63	63.5	64	64.5	65	66	67	68	69	71	72	80
2-7x35	35	41																																															
3-9x40	40	48																																															
4.5-14x42	42	56																																															
6.5-20x50	50	63																																															
Burris (XTR II™ Riflescopes Series)			30	30SR	34	36	36ZM	38	40	41	42	42.5	44	46	46.7	47	48	49	50	51	52	53	54	55	56	56.7**	57	57.5	58	58.4	59	59.5	60	60.5	61	62	62.7**	63	63.5	64	64.5	65	66	67	68	69	71	72	80
1-5x24	24	30																																															
2-10x42	42	49.5																																															
3-15x50	50	58																																															
4-20x50	50	58																																															
5-25x50	50	58																																															
8-40x50	50	58																																															
1-8x24	24	34																																															
Burris (Four X Riflescopes Series)			30	30SR	34	36	36ZM	38	40	41	42	42.5	44	46	46.7	47	48	49	50	51	52	53	54	55	56	56.7**	57	57.5	58	58.4	59	59.5	60	60.5	61	62	62.7**	63	63.5	64	64.5	65	66	67	68	69	71	72	80
1-4x24	24	30																																															

DDOPTICS																																																	
Adapter code:																																																	
Riflescope	Lens diameter	Outside diameter	ADAPTER SIZE																																														
DDoptics (Nachtfalke II)			30	30SR	34	36	36ZM	38	40	41	42	42.5	44	46	46.7	47	48	49	50	51	52	53	54	55	56	56.7**	57	57.5	58	58.4	59	59.5	60	60.5	61	62	62.7**	63	63.5	64	64.5	65	66	67	68	69	71	72	80
2,5-10x56	56	65																																															
DDoptics (Nachtfalke III)			30	30SR	34	36	36ZM	38	40	41	42	42.5	44	46	46.7	47	48	49	50	51	52	53	54	55	56	56.7**	57	57.5	58	58.4	59	59.5	60	60.5	61	62	62.7**	63	63.5	64	64.5	65	66	67	68	69	71	72	80
1-6x24 V6	24	30																																															
1,5-6x42	42	50																																															
2,5-15x50	50	58																																															
5-30x50 Tactical	50	58																																															
5-30x50 Tactical	50	58																																															
5-30x50 (hunting)	50	58																																															
2,5-10x56	56	65																																															

DOCTER

[illegible]**HAWKE**

Adapter code:		
Riflescope	Lens diameter	Outside diameter
Hawke (Frontier 30)	30	30SR 34 36 36ZM 38 40 41 42 42.5 44 46 46.7 47 48 49 50 51 52 53 54 55 56 56.7** 57 57.5 58 58.4 59 59.5 60 60.5 61 62 62.7** 63 63.5 64 64.5 65 66 67 68 69 71 72 80
1-6×24 L4A Dot	24	30
1-6×24 Tactical Dot	24	30
Hawke (Frontier 30 SF)	30	30SR 34 36 36ZM 38 40 41 42 42.5 44 46 46.7 47 48 49 50 51 52 53 54 55 56 56.7** 57 57.5 58 58.4 59 59.5 60 60.5 61 62 62.7** 63 63.5 64 64.5 65 66 67 68 69 71 72 80
2.5-15×50 LR Dot	50	58
2.5-15×50 TMX	50	58
5-30×50 LR Dot	50	58
5-30×50 TMX	50	58
Hawke (Frontier FFP)	30	30SR 34 36 36ZM 38 40 41 42 42.5 44 46 46.7 47 48 49 50 51 52 53 54 55 56 56.7** 57 57.5 58 58.4 59 59.5 60 60.5 61 62 62.7** 63 63.5 64 64.5 65 66 67 68 69 71 72 80
3-15×50 Mil Ext	50	58
5-25×56 Mil Ext	56	64
Hawke (Endurance 30 WA)	30	30SR 34 36 36ZM 38 40 41 42 42.5 44 46 46.7 47 48 49 50 51 52 53 54 55 56 56.7** 57 57.5 58 58.4 59 59.5 60 60.5 61 62 62.7** 63 63.5 64 64.5 65 66 67 68 69 71 72 80
1-4×24 L4A Dot	24	30
1-4×24 Tactical Dot	24	30
1.5-6×44 L4A Dot	44	51
2.5-10×50 LR Dot (8×	50	57
2.5-10×50 LRC (10×	50	57
3-12×56 LR Dot (8×	56	64
3-12×56 LRC (12×	56	64

IOR (BDC)			30	30SR	34	36	36ZM	38	40	41	42	42.5	44	46	46.7	47	48	49	50	51	52	53	54	55	56	56.7**	57	57.5	58	58.4	59	59.5	60	60.5	61	62	62.7**	63	63.5	64	64.5	65	66	67	68	69	71	72	80	
4X24M1	24	42																																																
6X30	30	40																																																
1.5-8X26	26	35																																																
2-12X36	36	44																																																

IOR (Competition)			30	30SR	34	36	36ZM	38	40	41	42	42.5	44	46	46.7	47	48	49	50	51	52	53	54	55	56	56.7**	57	57.5	58	58.4	59	59.5	60	60.5	61	62	62.7**	63	63.5	64	64.5	65	66	67	68	69	71	72	80	
9-36X44	44	50																																																
36X42	42	49																																																

Adapter code:			KAHLES																																															
Riflescope	Lens diameter	Outside diameter	ADAPTER SIZE																																															
			30	30SR	34	36	36ZM	38	40	41	42	42.5	44	46	46.7	47	48	49	50	51	52	53	54	55	56	56.7**	57	57.5	58	58.4	59	59.5	60	60.5	61	62	62.7**	63	63.5	64	64.5	65	66	67	68	69	71	72	80	
Kahles (C model)			30	30SR	34	36	36ZM	38	40	41	42	42.5	44	46	46.7	47	48	49	50	51	52	53	54	55	56	56.7**	57	57.5	58	58.4	59	59.5	60	60.5	61	62	62.7**	63	63.5	64	64.5	65	66	67	68	69	71	72	80	
1.1-4x24 L	24	30																																																
1.1-4x24 SR	24	30																																																
1.5-6x42 L	42	48																																																
1.5-6x42 SR	42	48																																																
6x42 L	42	48																																																
8x50 L	50	56																																																
10x50 L	50	56																																																
2.5-10x50 L	50	56																																																
2.5-10x50 SR	50	56																																																
3-12x56 L	56	62																																																
3-12x56 SR	56	62																																																
8x56 L	56	62																																																
Kahles (CT model)			30	30SR	34	36	36ZM	38	40	41	42	42.5	44	46	46.7	47	48	49	50	51	52	53	54	55	56	56.7**	57	57.5	58	58.4	59	59.5	60	60.5	61	62	62.7**	63	63.5	64	64.5	65	66	67	68	69	71	72	80	
2-7x36 L	36	42																																																
3-9x42 L	42	48																																																
3-10x50 L	50	56																																																
Kahles Helia / Helia 3			30	30SR	34	36	36ZM	38	40	41	42	42.5	44	46	46.7	47	48	49	50	51	52	53	54	55	56	56.7**	57	57.5	58	58.4	59	59.5	60	60.5	61	62	62.7**	63	63.5	64	64.5	65	66	67	68	69	71	72	80	
1-5x24i	24	30																																																
4-12x44i	44	50																																																
3-10x50i	50	56																																																
3,5-18x50i	50	56																																																
2-10x50i	50	56																																																
2,4-12x56i	56	62																																																
Kahles (K model)			30	30SR	34	36	36ZM	38	40	41	42	42.5	44	46	46.7	47	48	49	50	51	52	53	54	55	56	56.7**	57	57.5	58	58.4	59	59.5	60	60.5	61	62	62.7**	63	63.5	64	64.5	65	66	67	68	69	71	72	80	
418	50	56																																																
418 TT	50	56																																																
418 mz	50	56																																																
Kahles (CL model)			30	30SR	34	36	36ZM	38	40	41	42	42.5	44	46	46.7	47	48	49	50	51	52	53	54	55	56	56.7**	57	57.5	58	58.4	59	59.5	60	60.5	61	62	62.7**	63	63.5	64	64.5	65	66	67	68	69	71	72	80	
3-10x50 L	50	56																																																
3-10x50 L mz	50	56																																																
4-12x52 L	52	58																																																
4-12x52 L mz	52	58																																																

Kahles (CBX model)			30	30SR	34	36	36ZM	38	40	41	42	42.5	44	46	46.7	47	48	49	50	51	52	53	54	55	56	56.7**	57	57.5	58	58.4	59	59.5	60	60.5	61	62	62.7**	63	63.5	64	64.5	65	66	67	68	69	71	72	80	
2.5-10x50 L	50	56																																																
2.5-10x50 SR	50	56																																																
3-12x56 L	56	62																																																
3-12x56 SR	56	62																																																
8x56 L	56	62																																																

Kahles (CSX model)			30	30SR	34	36	36ZM	38	40	41	42	42.5	44	46	46.7	47	48	49	50	51	52	53	54	55	56	56.7**	57	57.5	58	58.4	59	59.5	60	60.5	61	62	62.7**	63	63.5	64	64.5	65	66	67	68	69	71	72	80	
1.1-4x24 L	24	30																																																
1.1-4x24 SR	24	30																																																
1.5-6x42 L	42	48																																																
1.5-6x42 SR	42	48																																																
2.5-10x50 L	50	56																																																
2.5-10x50 SR	50	56																																																
2.5-10x50 L mz	50	56																																																
2.5-10x50 SR mz	50	56																																																
3-12x56 L	56	62																																																
3-12x56 SR	56	62																																																
3-12x56 L mz	56	62																																																
3-12x56 SR mz	56	62																																																

Kahles K525i, 318i, 624i, 312i, K1050, K1050i FT			30	30SR	34	36	36ZM	38	40	41	42	42.5	44	46	46.7	47	48	49	50	51	52	53	54	55	56	56.7**	57	57.5	58	58.4	59	59.5	60	60.5	61	62	62.7**	63	63.5	64	64.5	65	66	67	68	69	71	72	80	
Most of __x50	50	56																																																
Most of __x56	56	62																																																

Kahles K16/K18			30	30SR	34	36	36ZM	38	40	41	42	42.5	44	46	46.7	47	48	49	50	51	52	53	54	55	56	56.7**	57	57.5	58	58.4	59	59.5	60	60.5	61	62	62.7**	63	63.5	64	64.5	65	66	67	68	69	71	72	80	
1-6x24i	24	34																																																
1-8x24i	24	34																																																

KITE OPTICS																																																		
Adapter code:																																																		
Riflescope	Lens diameter	Outside diameter	ADAPTER SIZE																																															
			30	30SR	34	36	36ZM	38	40	41	42	42.5	44	46	46.7	47	48	49	50	51	52	53	54	55	56	56.7**	57	57.5	58	58.4	59	59.5	60	60.5	61	62	62.7**	63	63.5	64	64.5	65	66	67	68	69	71	72	80	
Kite Optics																																																		
1-6x24	24	30																																																
2-12x50	50	58																																																
2,5-15x56	56	65																																																

			LEICA																																															
Adapter code:																																																		
Riflescope	Lens diameter	Outside diameter	ADAPTER SIZE																																															
Leica (Magnus i.)			30	30SR	34	36	36ZM	38	40	41	42	42.5	44	46	46.7	47	48	49	50	51	52	53	54	55	56	56.7**	57	57.5	58	58.4	59	59.5	60	60.5	61	62	62.7**	63	63.5	64	64.5	65	66	67	68	69	71	72	80	
1-6.3x24 i	24	30																																																
1.5-10x42 i	42	50																																																
1.8-12x50 i	50	57																																																
2.4-16x56 i	56	62																																																
Leica (Magnus non-illuminated)			30	30SR	34	36	36ZM	38	40	41	42	42.5	44	46	46.7	47	48	49	50	51	52	53	54	55	56	56.7**	57	57.5	58	58.4	59	59.5	60	60.5	61	62	62.7**	63	63.5	64	64.5	65	66	67	68	69	71	72	80	
1.5-10x42 non-illuminated	42	50																																																
1.8-12x50 non-illuminated	50	57																																																
2.4-16x56 non-illuminated	56	62																																																

Meopta (Optika6 SFP, FFP)		30	30SR	34	36	36ZM	38	40	41	42	42.5	44	46	46.7	47	48	49	50	51	52	53	54	55	56	56.7**	57	57.5	58	58.4	59	59.5	60	60.5	61	62	62.7**	63	63.5	64	64.5	65	66	67	68	69	71	72	80		
1-6x24	24	30																																																
2.5-15x44	44	51																																																
3-18x50	50	58																																																
4.5-27x50	50	58																																																
3-18x56	56	64																																																
5-30x56	56	64																																																

MINOX																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
Adapter code:																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
Riflescope	Lens diameter	Outside diameter	ADAPTER SIZE																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									

NIGHTFORCE																																																			
Adapter code:																																																			
Riflescope	Lens diameter	Outside diameter	ADAPTER SIZE																																																
Nightforce (NXS)			30	30SR	34	36	36ZM	38	40	41	42	42.5	44	46	46.7	47	48	49	50	51	52	53	54	55	56	56.7**	57	57.5	58	58.4	59	59.5	60	60.5	61	62	62.7**	63	63.5	64	64.5	65	66	67	68	69	71	72	80		
1-4x24	24	30																																																	
2.5-10x32	32	40																																																	
2.5-10x42	42	50																																																	
3.5-15x50	50	59																																																	
3.5-15x50 F1	50	59																																																	
5.5-22x50	50	59																																																	
5.5-22x56	56	65																																																	
8-32x56	56	65																																																	
Nightforce (ATACR)			30	30SR	34	36	36ZM	38	40	41	42	42.5	44	46	46.7	47	48	49	50	51	52	53	54	55	56	56.7**	57	57.5	58	58.4	59	59.5	60	60.5	61	62	62.7**	63	63.5	64	64.5	65	66	67	68	69	71	72	80		
5-25x56	56	65																																																	
Nightforce (B.E.A.S.T.)			30	30SR	34	36	36ZM	38	40	41	42	42.5	44	46	46.7	47	48	49	50	51	52	53	54	55	56	56.7**	57	57.5	58	58.4	59	59.5	60	60.5	61	62	62.7**	63	63.5	64	64.5	65	66	67	68	69	71	72	80		
5-25x56 F1	56	65																																																	
Nightforce (Competition)			30	30SR	34	36	36ZM	38	40	41	42	42.5	44	46	46.7	47	48	49	50	51	52	53	54	55	56	56.7**	57	57.5	58	58.4	59	59.5	60	60.5	61	62	62.7**	63	63.5	64	64.5	65	66	67	68	69	71	72	80		
15-55x52	52	61																																																	

NOBLEX																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
Adapter code:																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
Riflescope	Lens diameter	Outside diameter	ADAPTER SIZE																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					

SCHMIDT BENDER																																																		
Adapter code:			ADAPTER SIZE																																															
Riflescope	Lens diameter	Outside diameter																																																
Schmidt Bender (Classic)			30	30SR	34	36	36ZM	38	40	41	42	42.5	44	46	46.7	48	49	50	51	52	53	54	55	56	56.7**	57	57.5	58	58.4	59	59.5	60	60.5	61	62	62.7**	63	63.5	64	64.5	65	66	67	68	69	71	72	80		
6x42	42	50																																																
10x42	42	50																																																
1.5-6x42	42	50																																																
Schmidt Bender (Classic)			30	30SR	34	36	36ZM	38	40	41	42	42.5	44	46	46.7	48	49	50	51	52	53	54	55	56	56.7**	57	57.5	58	58.4	59	59.5	60	60.5	61	62	62.7**	63	63.5	64	64.5	65	66	67	68	69	71	72	80		
3-12x42	42	50																																																
7x50	50	57																																																
3-12x50	50	57																																																
4-16x50 Varmint	50	57																																																
8x56	56	62																																																
2.5-10x56	56	62																																																
Schmidt Bender (Exos)			30	30SR	34	36	36ZM	38	40	41	42	42.5	44	46	46.7	48	49	50	51	52	53	54	55	56	56.7**	57	57.5	58	58.4	59	59.5	60	60.5	61	62	62.7**	63	63.5	64	64.5	65	66	67	68	69	71	72	80		
1-8x24	24	30																																																
3-21x50	50	57																																																
Schmidt Bender (Zenith)			30	30SR	34	36	36ZM	38	40	41	42	42.5	44	46	46.7	48	49	50	51	52	53	54	55	56	56.7**	57	57.5	58	58.4	59	59.5	60	60.5	61	62	62.7**	63	63.5	64	64.5	65	66	67	68	69	71	72	80		
1.1-4x24	24	30																																																
1.5-6x42	42	50																																																
3-12x50	50	57																																																
2.5-10x56	56	62																																																
Schmidt Bender (Precision Hunter)			30	30SR	34	36	36ZM	38	40	41	42	42.5	44	46	46.7	48	49	50	51	52	53	54	55	56	56.7**	57	57.5	58	58.4	59	59.5	60	60.5	61	62	62.7**	63	63.5	64	64.5	65	66	67	68	69	71	72	80		
3-12x42	42	50																																																
4-16x50	50	57																																																
3-12x50	50	57																																																
Schmidt Bender (Police Marksman)			30	30SR	34	36	36ZM	38	40	41	42	42.5	44	46	46.7	47	48	49	50	51	52	53	54	55	56	56.7**	57	57.5	58	58.4	59	59.5	60	60.5	61	62	62.7**	63	63.5	64	64.5	65	66	67	68	69	71	72	80	
1.1-4x20	20	30																																																
1.5-6x20	20	30																																																
1.1-4x24	24	30																																																
4-16x42	42	50																																																
3-12x50	50	57																																																
4-16x50	50	57																																																
5-25x56	56	62																																																
12.5-50x56	56	62																																																
Schmidt Bender (Stratos)			30	30SR	34	36	36ZM	38	40	41	42	42.5	44	46	46.7	47	48	49	50	51	52	53	54	55	56	56.7**	57	57.5	58	58.4	59	59.5	60	60.5	61	62	62.7**	63	63.5	64	64.5	65	66	67	68	69	71	72	80	
1.1-5x24	24	30																																																
1.5-8x42	42	50																																																
2.5-13x56	56	62																																																
Schmidt Bender (POLAR T96)			30	30SR	34	36	36ZM	38	40	41	42	42.5	44	46	46.7	47	48	49	50	51	52	53	54	55	56	56.7**	57	57.5	58	58.4	59	59.5	60	60.5	61	62	62.7**	63	63.5	64	64.5	65	66	67	68	69	71	72	80	
2.5-10x50	50	57																																																
3-12x54	54	61																																																
4-16x56	56	62																																																

STEINER																																																	
Adapter code:																																																	
Riflescope	Lens diameter	Outside diameter	ADAPTER SIZE																																														
Steiner (Nighthunter 70 Years Edition)			30	30SR	34	36	36ZM	38	40	41	42	42.5	44	46	46.7	47	48	49	50	51	52	53	54	55	56	56.7**	57	57.5	58	58.4	59	59.5	60	60.5	61	62	62.7**	63	63.5	64	64.5	65	66	67	68	69	71	72	80
1-5x24	24	30																																															
1.6-8x42	42	50																																															
2-10x50	50	57																																															
3-15x56	56	62																																															

Steiner (Renger)			30	30SR	34	36	36ZM	38	40	41	42	42.5	44	46	46.7	47	48	49	50	51	52	53	54	55	56	56.7**	57	57.5	58	58.4	59	59.5	60	60.5	61	62	62.7**	63	63.5	64	64.5	65	66	67	68	69	71	72	80
1-4x24	24	30																																															
2-8x42	42	51																																															
4-16x56	56	63.5																																															
3-12x56	56	63.5																																															

Steiner (Ranger Ballistic Control)			30	30SR	34	36	36ZM	38	40	41	42	42.5	44	46	46.7	47	48	49	50	51	52	53	54	55	56	56.7**	57	57.5	58	58.4	59	59.5	60	60.5	61	62	62.7**	63	63.5	64	64.5	65	66	67	68	69	71	72	80
4-16x56	56	63.5																																															
3-12x56	56	63.5																																															

Steiner (M-Serie - M7Xi)			30	30SR	34	36	36ZM	38	40	41	42	42.5	44	46	46.7	47	48	49	50	51	52	53	54	55	56	56.7**	57	57.5	58	58.4	59	59.5	60	60.5	61	62	62.7**	63	63.5	64	64.5	65	66	67	68	69	71	72	80
4-28x56 IFS	56	62																																															
4-28x56	56	62																																															

SWAROVSKI																																																				
Adapter code:																																																				
Riflescope	Lens diameter	Outside diameter	ADAPTER SIZE																																																	
Swarovski (DS)			30	30SR	34	36	36ZM	38	40	41	42	42.5	44	46	46.7	47	48	49	50	51	52	53	54	55	56	56.7**	57	57.5	58	58.4	59	59.5	60	60.5	61	62	62.7**	63	63.5	64	64.5	65	66	67	68	69	71	72	80			
5-25x52 P	52	65																																																		
Swarovski (Z6/Z6i/2nd Gen.)			30	30SR	34	36	36ZM	38	40	41	42	42.5	44	46	46.7	47	48	49	50	51	52	53	54	55	56	56.7**	57	57.5	58	58.4	59	59.5	60	60.5	61	62	62.7**	63	63.5	64	64.5	65	66	67	68	69	71	72	80			
1-6x24	24	30																																																		
1-6x24 SR	24	30																																																		
1-6x24 EE	24	30																																																		
1.7-10x42	42	48																																																		
2.5-15x44 P	44	50																																																		
2-12x50	50	56																																																		
3-18x50 P	50	56																																																		
5-30x50 P	50	56																																																		
2.5-15x56 P	56	62																																																		
Swarovski (Z5/Z5i)			30	30SR	34	36	36ZM	38	40	41	42	42.5	44	46	46.7	47	48	49	50	51	52	53	54	55	56	56.7**	57	57.5	58	58.4	59	59.5	60	60.5	61	62	62.7**	63	63.5	64	64.5	65	66	67	68	69	71	72	80			
3.5-18x44 P	44	50																																																		
2.4-12x50 P	50	56																																																		
5-25x52 P	52	58																																																		
Swarovski (Z3)			30	30SR	34	36	36ZM	38	40	41	42	42.5	44	46	46.7	47	48	49	50	51	52	53	54	55	56	56.7**	57	57.5	58	58.4	59	59.5	60	60.5	61	62	62.7**	63	63.5	64	64.5	65	66	67	68	69	71	72	80			
3-9x36	36	42																																																		
3-10x42	42	48																																																		
4-12x50	50	56																																																		

ZEISS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
Adapter code:																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
Riflescope	Lens diameter	Outside diameter	ADAPTER SIZE																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
			30	30SR	34	36	36ZM	38	40	41	42	42.5	44	46	46.7	47	48	49	50	51	52	53	54	55	56	56.7**	57	57.5	58	58.4	59	59.5	60	60.5	61	62	62.7**	63	63.5	64	64.5	65	66	67	68	69	71	72	80																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
Zeiss (Victory HT)			30	30SR																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								

